

What is a single-crystal Sb_2O_3 molecular film?

Based on the precise control of thermodynamics and kinetics, single-crystal Sb_2O_3 molecular film with a desirable thickness was produced. The high-quality Sb_2O_3 films grown on graphene were used as the gate stack, and enabled the high performance of the FET.

Is single-crystal $\text{Li}_{1-x}\text{Mn}_y\text{Co}_{1-x-y}\text{O}_2$ a good battery?

Single-crystal $\text{Li}_{1-x}\text{Mn}_y\text{Co}_{1-x-y}\text{O}_2$ (SC-NMC) cathode with electro-chemo-mechanically compliant microstructure is regarded as a promising candidate for high-energy-density lithium ion battery.

What is the microstructural design of single-crystal nickel-rich cathode materials?

The microstructural design of single-crystal nickel-rich cathode materials should emphasize the alignment of lattice parameters between heterostructures and layered oxides, as well as the modulation of their spatial distribution, thereby ensuring the long-term efficacy of element doping and surface-interface modification.

Can a single-crystal gallium nitride film be used as a 2D substrate?

In this study, we report a method for preparing single-crystal gallium nitride (GaN) films on 2D substrates by using centimeter-scale single-crystalline CVD-grown 2D films as a growth substrate. The structural characteristics of the GaN films were investigated using X-ray diffraction (XRD) and transmission electron microscopy (TEM).

Are thermodynamics and kinetics involved in the synthesis of single-crystal cathode materials?

Currently, there is limited understanding of the intricate interplay between thermodynamics and kinetics in the synthesis process of single-crystal cathode materials. A more profound exploration of the structural degradation and synthesis mechanisms of single-crystal materials will serve as a fundamental basis for targeted modification strategies.

Does a CVD-grown h-BN substrate generate heteroepitaxial GaN films?

To conclude, the heteroepitaxial growth of GaN films on CVD-grown h-BN layers was demonstrated in which the generation of a high number of atomic cliffs in the h-BN substrate was the key process in fabricating these GaN/h-BN heterostructures.

In this paper, a TiO_2/NiO heterogeneous composite thin film ultraviolet detector based on the dark state self-depletion effect was designed and fabricated. The N-type TiO_2 film is prepared by the sol-gel method, and P-type NiO thin films and Ni/Au alloy electrodes are simultaneously prepared by a unique one-step oxidation method. Compared with devices ...

Under equilibrium conditions, the shape (morphology) of the single crystal is dictated by the minimization of

total Gibbs surface free energy, as prescribed by the Wulff theorem. 63 With increasing chemical potential driving force (e.g., higher μ), the surface integration of atoms changes from the spiral 1D growth mechanism to 2D growth mechanism ...

Single-crystal lithium niobate thin films (lithium niobate on insulator, LNOI) are becoming a new material platform for integrating photonics. Investigation into the physical ...

The etching conditions are obtained to avoid the phenomenon of incomplete etching of the sacrificial layer, so that the transfer technology can be better applied in the field of heterogeneous integration, and Si MOSFETs on sapphire substrate were fabricated by using the optimized transfer technology. As one of the important technologies in the field of ...

As electric vehicles (EVs) become increasingly popular, the demand for greater range is growing. Single-crystal $\text{LiNi}_{0.8}\text{Co}_{0.1}\text{Mn}_{0.1}\text{O}_2$ is the lithium-ion battery cathode material with high specific capacity, good thermal stability, and reliable cycle performance [[1], [2], [3]]. As the nickel content of ternary cathode materials increases, the specific capacity of ...

The kinetics of interfacial ion insertion govern the uniformity of electrochemical reactions, playing a crucial role in lithium-ion battery performance. In two-dimensional lithium-conducting layered-oxide battery particles, variation in insertion rates across insertion channels remains unclear due to poorly defined crystal orientation at the solid-liquid interface and solid-state-lithium ...

Here, we fabricated a freestanding, (104)-oriented- $\text{LiNi}_{1/3}\text{Mn}_{1/3}\text{Co}_{1/3}\text{O}_2$ single-crystal thin film using dissolution-induced release and performed in situ scanning-transmission-X-ray-microscopy to spatially resolve lithium-insertion at well-defined-interfaces. We observed heterogeneous lithium-concentration evolution due to channel-by-channel insertion rate ...

In this work, the thickness of 6.294 μm 4 in. Si-based LN single crystal heterogeneous integration thin film was prepared by the method of CMP combined with the low temperature heat pressure method. Proved that the oxygen plasma activation treatment can effectively improve the interface hydrophilicity to enhance the bonding strength.

Nevertheless, due to the intrinsic structural properties of layered materials, single-crystal structures still face challenges related to sluggish Li⁺ transport kinetics, heterogeneous state of charge, anisotropic changes in lattice parameters, ...

Here, utilizing the substrate-guided strategy, we develop a vdW epitaxy technique to synthesize 2D single-crystal molecular film. The unidirectional Sb_2O_3 triangular ...

Here, we fabricated a freestanding, (104)-oriented- $\text{LiNi}_{1/3}\text{Mn}_{1/3}\text{Co}_{1/3}\text{O}_2$ single-crystal thin film using

dissolution-induced release and performed in situ scanning-transmission-X-ray-microscopy to spatially resolve lithium-insertion at well-defined-interfaces. We observed heterogeneous lithium-concentration evolution due to channel-by-channel insertion ...

DOI: 10.1002/adma.201603285 Corpus ID: 36028885; Heterogeneous Monolithic Integration of Single-Crystal Organic Materials @article{Park2017HeterogeneousMI, title={Heterogeneous Monolithic Integration of Single-Crystal Organic Materials}, author={Kyung S. Park and Jangmi Baek and Yoonkyung Park and Lynn Lee and Jinho Hyon and Yong-Eun Koo Lee and Nabeen ...

The process flow for the heterogeneous integration of a wafer-scale α -Ga₂O₃ thin film onto a SiC substrate via the ion-cutting technique is schematically illustrated in Fig. S1 in Supplementary Materials. Hydrogen ions with an energy of 35 keV and a fluence of $1 \times 10^{17} \text{ cm}^{-2}$ were implanted in a 2-inch free-standing α -Ga₂O₃ wafer purchased from Novel ...

However, in the process of wet etching the SiO₂ sacrificial layer present underneath the single-crystal silicon nano-film by using the transfer technology, the etching is often incomplete, which ...

Request PDF | On Nov 1, 2024, Binqiang Wang and others published Mechanism of heterogeneous substrate stimulating growth for nickel-based single crystal superalloy | Find, read and cite all the ...

Single-crystal NMCs appear to be superior to polycrystalline NMCs, especially at low Ni content ($\leq 60\%$). However, Ni-rich single-crystal NMC cathodes experience even faster ...

Web: <https://www.batteryhqcenturion.co.za>